



APARNA ENTERPRISES LTD.

An Aparna Group Company

8-2-293/82/A, Plot No. 1214, Road No. 60, Jubilee Hills, Hyderabad - 500 033, Telangana, India.

Tel: +91 40 23357761 | Fax: +91 40 23606246 | Mobile: +91-9133331208

Email: info@aparnavenster.com | www.aparnavenster.com | CIN: U51109TG1994PLC018950

Manufacturing Unit

H5M2+2CJ, Mamidipally, Hyderabad, Telangana 502329

Email: info@aparnavenster.com

Bengaluru Factory Address:

Plot no: 310 of Obadenahalli Industrial Area, 3rd Phase,
Dodballapur, Bengaluru Rural, Karnataka, 561203

Our Sales Offices

Hyderabad | Bengaluru | Chennai | Vizag | Vijayawada | Tirupati



Scan QR for
more information



Aparna Enterprises Ltd.

APARNA
VENSTER
A NEW VIEW





Where stories find a frame



Windows and doors are never just structures, they're a silent pause between the vastness outside, a state of mind, and the intimacy you weave within. They are gentle frames through which light pours in like a blessing, where stillness lingers as a companion to your quiet moments, and where stories unfold in whispers with every glance beyond the glass.

At Aparna Venster, we don't merely create windows; we craft sanctuaries for light, stillness, and stories. Each one a tender canvas where the world outside and the world within meet in harmony.



Excellence in every detail

The Aparna Assurance



Aparna Venster stems from the legacy of Aparna Enterprises Ltd., part of the trusted Aparna Group. With decades of expertise in building materials ranging from premium vitrified tiles and steel sections to ready-mix concrete, gated communities, and large-scale real estate, we don't just build structures; we shape the way people live. This rich experience gives us a rare understanding of the modern homeowner's aspirations, allowing us to create windows and doors that go beyond function to become true reflections of lifestyle and taste.



Where design shapes the rhythm of living



Windows over the years have become more of a home accessory rather than just a constructive feature. Whether constructing a skyscraper, a commercial complex, residential apartments, exotic villas or renovating your existing house, Aparna Venster has always strived to enhance the beauty of your building. With our state-of-the-art German extrusion equipment and precision engineering in every inch of uPVC window & door systems, we conform to the toughest European manufacturing standards.





Crafted for quality designed for you



Aparna Venster uPVC window and door systems have long been a preferred choice for homeowners seeking to upgrade their living spaces. With state-of-the-art production facilities in Hyderabad and Bengaluru, we bring world-class technology and precision to every product. From survey, bespoke design, fabrication, delivery, installation, to dedicated post-sales service, we offer complete end-to-end solutions, ensuring a seamless experience and lasting value for your home.


Extrusion

We make use of top-notch German extrusion lines and quality assurance laboratory equipment, certified by NABL accredited agencies to manufacture our profiles.



Reinforcement

Our premium window & door systems are equipped with suitable galvanized steel reinforcements, manufactured at our metal-forming plant. Additionally, we offer custom-made reinforcements in varied thicknesses to meet your specific requirements.



Lamination

With a wide range of colours and textures available, you can easily customise your window and door systems to match with the décor of your entire house. Lamination is done using German foil & hot melt PU adhesive.



Fabrication

When it comes to fabrication, our trust lies in the technologically sound machinery from Germany that ensures high reliability and accuracy. The profiles are then reinforced with galvanised steel sections to help them withstand strong wind pressures.



An accessory that speaks of elegance



They say change is a habit worth embracing, for only then do new possibilities reveal themselves. The same is true for your home. It's never too late to transform your old doors and windows with our uPVC systems, where timeless aesthetics meet effortless functionality and every detail brings comfort, beauty and harmony to the spaces you live in.



Soundproof

- Cuts noise levels by up to 40 decibels, making them the perfect solution for your home and office.



Weatherproof

- Ideal for high-rise buildings, especially in coastal areas, which are exposed to strong winds, heavy rains and salty weather conditions.



Eco-Friendly

- Lead-free, consumes less power, RoHS certified, and are completely recyclable due to the presence of calcium-zinc stabilisers.



Energy Efficient

- Multi-chambered sections come with unique double seal mechanisms that perfectly insulate your home against heat.
- Saves up to 30% on AC power bills by providing you with high heat insulation capability.



Easy Maintenance

- Low-maintenance and do not require painting or other such activities as they do not rot, warp or corrode and are 100% termite-proof.


- Due to the nature of the materials used, these frames remain highly durable even after years of usage.




Aesthetic, Practical & Secure

- Easily customisable to suit any configuration or dimension.
- Can be laminated to enhance beauty.
- Can be fitted with multi-point High-security locks that can be screwed into the core of the window and door systems.

The art of **nature** felt and seen




GOLDEN OAK




WALNUT



RUSTIC OAK



DARK OAK



MAHOGANY



BLACK



GREY

Many other captivating colour options are also available.

Quality
never
goes
unsung



Types of Windows

Casement windows | Sliding windows | Arch windows
Villa windows | Combination windows | Tilt & Turn windows

Wide Variety of Window & Door Systems

- Coloured and foiled windows.
- Even a single colour or wood grain finish bestows very special and aesthetic look to a building.
- The harmonious mixture of colour and wood grain structures achieve the ideal visual effect.
- The vivid wood grain structure looks and feels like natural wood.


Salient Features

- We source the best in class raw materials to manufacture our window & door systems at reputed laboratories, without compromising on cost and quality.
- Aparna Enterprises Ltd. is certified: ISO 9001-2015; OSHAS 18001-2007; ISO 14001-2015.
- Our factory is equipped with a completely automated compound mixer unit, and the dry blend is certified for Restriction of Hazardous Substances (RoHS) compliance.
- To avoid physical contamination, we have a well-equipped automation system from CMU to extruder hopper.
- Since our compound is superior, weathering tests have proved that our profiles resist discoloration.
- Our uPVC window & door systems come with a thickness ranging from 2.2 ± 0.2 mm to 2.8 ± 0.2 mm.


- Our in-house laboratory is equipped for testing raw materials & finished goods. Every batch will be tested for all the 17 parameters.
- Our uPVC window & door systems exhibit excellent impact & heat resistance.
- Our advanced lab conforms to the European standard specification, EN 12608:2003 and IS 17953:2023 and every uPVC system is manufactured according to this standard.
- Our QC and production teams continuously monitor the quality of the product 24x7.
- Our standard colour specified range is L > 93, a -0.6 to -1.2, b 1.6 to 2.4.
- Our uPVC systems have great inner wall bonding, inside gloss and finish, which are much better than many others. These properties make our uPVC systems much stronger.
- We have a batch identification printed on each main profile with manufacturer name, line number, date & time for any future assistance, if required.
- For transparency of quality testing, we carry out third-party testing for our uPVC.
- Colored windows offer architectural design with suitably placed colour handles and other hardware.




Window and Door **Typologies**




SLIDING WINDOW / DOOR (2T 2P)




SLIDING WINDOW / DOOR -2.5T-2P WITH MESH




SLIDING & FIX WINDOW -MONORAIL




SLIDING WINDOW / DOOR (2T 2P)-Top Fix




SLIDING WINDOW / DOOR (3T 3P)




SLIDING WINDOW / DOOR (3T 3P) WITH MESH




SLIDING WINDOW WITH MESH (2.5T 3P) CENTER FIXED




SLIDING WINDOW (2.5T 4P) WITH MESH




SLIDING WINDOW (2T 4P)




CASEMENT WINDOW-DOUBLE OPEN OUTWARD OPENING




CASEMENT WINDOW-FLY MULLION DOUBLE OPEN OUTWARD OPENING




VILLA WINDOW (OPENABLE MESH WITH GRILL)




SLIDING WINDOW (3T 6P)




SLIDING WINDOW / DOOR (4T 4P)




SLIDING WINDOW (4T 8P)




CASEMENT WINDOW-DOUBLE OPEN WITH TOP FIX




CASEMENT WINDOW-DOUBLE OPEN WITH TOP FIX-ARCH (OUTWARD OPENING)




CASEMENT WINDOW-SINGLE OPEN OUTWARD OPENING




TOP HUNG




TILT & TURN WINDOW




LOUVER WINDOW SYSTEM




CASEMENT WINDOW-SINGLE OPEN OUTWARD OPENING-TOP EXHAUST




COMBINATION WINDOWS




CASEMENT DOOR-SINGLE OPEN OUTWARD/INWARD OPENING




CASEMENT DOOR-DOUBLE OPEN OUTWARD OPENING



DOOR CUM WINDOW



SLIDE & FOLD DOOR-431 OUTWARD OPENING



SLIDE & FOLD DOOR-431 INWARD OPENING

Note: In addition to the typologies displayed here, we also offer fully customized designs tailored to the customer's specific requirements.





Advanced & Modern Technology

The entire range of equipment used to manufacture Venster uPVC windows and doors has been imported from WEGOMA, Germany. The high output machines ensure high reliability and accuracy in the manufacturing process. All the lead-free uPVC profiles by Aparna Venster are reinforced with galvanized steel for extra strength to withstand high wind loads.



The Venster Advantage

An innovative leader in uPVC solutions, Aparna Venster is a one-stop provider for bespoke window and door systems, delivering eco-friendly, durable designs that blend seamlessly with every interior aesthetic.

18000+
Units Monthly Production Capacity

100+
Lead-Free uPVC Profiles

3
Million Window & Door Systems Installed


V5 PROFILE DESIGNS

SLIDING SERIES

Sl. No.	Tool Name	Description
1	AP-601	Sliding Frame 2 - Track
2	AP-602	Sliding Frame With Mesh Track
3	AP-603	Sliding Frame 3 - Track
4	AP-604	Sliding Window Sash
5	AP-605	Sliding Door Sash
6	AP-606	Window Interlock
7	AP-619	Door Interlock

45 mm CASEMENT SERIES

Sl. No.	Tool Name	Description
1	AP-701	Casement Outer Frame
2	AP-704	Casement Window Sash
3	AP-705	Casement Door Sash
4	AP-706	Casement T-Mullion
5	AP-707	Casement Z-Mullion



All dimensions are in mm.

V7 PROFILE DESIGNS - SLIDING

SLIDING SERIES


Sl. No.	Tool Name	Description
1	AP-101	Sliding Frame 2 - Track
2	AP-102	Sliding Frame with Mesh Track
3	AP-103	Sliding Frame 3 - Track
4	AP-104	Sliding Window Sash
5	AP-105	Sliding Door Sash
6	AP-106	Interlock
7	AP-107	T-Mullion for Sliding
8	AP-108	Sliding Window Mesh
9	AP-109	Sliding Door Mesh
10	AP-110	Glazing Bead for Sliding Series (5-6mm)
11	AP-110 A	Glazing Bead (5-6mm) (NEW)
12	AP-111	DG Bead for Sliding Series (18mm)
13	AP-112	Butt Profile
14	AP-113	Frame Coupling
15	AP-114	Sliding Intermediate Sash
16	AP-115	Additional Track for Mesh
17	AP-116	Mesh Lock
18	AP-117	Track Cover
19	AP-118	Bead Groove Cover
20	AP-119	Door Interlock

Sl. No.	Tool Name	Description
21	AP-403	One Track Slider Outer Frame with Fly Screen
22	AP-801	2.5T Fix Frame
23	AP-802	2.5T Slider Transom
24	AP-806	88 mm Mullion

V7 SERIES (7 FEET HEIGHT) ADVANTAGES

- Multi-chamber window & door systems.
- Window & door systems sized to 60 mm width and 52 mm height.
- Wall thickness ranges from 2.2 mm to 2.5 mm which is superior to competitors.
- Equipped to produce 2.13 meters height doors.
- Backed by technology to offer great combination of window & door systems.

V7 SLIDING SERIES




All dimensions are in mm.

V7 PROFILE DESIGNS - CASEMENT & VILLA SERIES

Sl. No.	Tool Name	Description
1	AP-201	Casement Window Outer Frame
2	AP-202	Casement Door Outer Frame
3	AP-203	Universal Profile
4	AP-204	Casement Window Sash
5	AP-205	Casement Door Sash
6	AP-206	T - Mullion
7	AP-207	Z - Mullion
8	AP-208	Fly - Mullion
9	AP-209	Glazing Bead for Casement Series (8-10 mm)
10	AP-210	Glazing Bead for Casement Series (5-6 mm)
11	AP-211	Double Glazing Bead for Casement Series (22-24 mm)
12	AP-212	Upstand-Bead
13	AP-214	Inward Window Sash
14	AP-215	Inward Door Sash
15	AP-216	DG Bead (36 mm)

Sl. No.	Tool Name	Description
1	AP-401	Villa Window Outer Frame
2	AP-404	Openable Mesh Sash For Villa Window
3	AP-406	Transom / Mullion

V7 CASEMENT AND VILLA SERIES



All dimensions are in mm.


V10 PROFILE DESIGNS - SLIDING

Sl. No.	Tool Name	Description
1	AP-301	Sliding Frame 2 - Track
2	AP-302	Sliding Frame 3 - Track
3	AP-302 A	Sliding Intermediate Frame 3 - Track
4	AP-303	Sliding Frame 4 - Track
5	AP-305	Sliding Door Sash
6	AP-305 A	Sliding Door Sash
7	AP-306	Interlock
8	AP-309	Glazing Bead for Sliding Series (10-12 mm)
9	AP-310	Glazing Bead for Sliding Series (6 mm)
10	AP-311	Double Glazing Bead for Sliding Series (18 mm)
11	AP-312	Butt Profile
12	AP-313	Mesh Lock Profile
13	AP-316	DG Bead (26 mm)


V10 SERIES (10 FEET HEIGHT) ADVANTAGES

- 1. Multi chamber window & door systems.
- 2. Window & door systems sized to 65 mm width and 58 mm height.
- 3. ‘A’ grade window & door systems come with a wall thickness of 2.8 mm, which is superior to competitors.
- 4. Equipped to provide 10 feet height doors.
- 5. The 4-track window and door system is manufactured to accommodate 8 panels, with doors measuring up to 10 metres in width and 3.04 metres in height.
- 6. Equipped to provide partition doors with a width of more than 10 meters.
- 7. Backed by technology to provide doors of 4 meters width and 2.13 meters height with only 2 panels.

V10 SLIDING SERIES




ALUMINUM COUPLER




All dimensions are in mm.

AUXILIARY PROFILES


Sl. No.	Tool Name	Description
1.	AP-501	Sq.Bay Pole(60X60)
2.	AP-502	Bay Pole(88X60)
3.	AP-503	Hurricane Bar
4.	AP-504	Round Bay Pole (Ø50)
5.	AP-505	Bay Pole (60 mm)
6.	AP-506	Georgian Bar
7.	AP-507	Louver Bead
8.	AP-508	Louver Blade
9.	AP-509	Volvo Trim
10.	AP-510	Panel Profile
11.	AP-514	Large Coupler
12.	AP-515	Architrave



AP 510
PANEL PROFILE




AP 501
SQ.BAY POLE (60X60)




AP 502
BAY POLE (88X60)




AP 506
GEORGIAN BAR




AP 507
LOUVER BEAD




AP 508
LOUVER BLADE



AP 503
HURRICANE BAR




AP 505
BAY POLE ADAPTER
(60 mm)




AP 514
LARGE COUPLER



AP 515
ARCHITRAVE



AP 504
ROUND BAY POLE
(Ø50)



AP 509
VOLVO TRIM

All dimensions are in mm.

A Signature of Our uPVC
Excellence at Telangana
Secretariat

